

MERCEDES	Year	HP	Type	Front	Price CHF	Front Info	Rear	Price CHF	Rear Info	by BREMSA AG
A 140 1,4i	07.97-06.04	82/KW 60	W168	12B1051	59.00					
A 160 1,7d 16V	09.98-01.01	60/KW 44	W168	12B1051	59.00					
A 160 1,7d 16V	02.01-06.04	75/KW 55	W168	12B1051	59.00					
C 160 1,8i 16V Coupé	03.05-06.07	122/KW 90	C203	7356 RDB RS	89.00		12B1011	64.00		
C 180 1,6i 16V	04.12-05.14	156/KW 115	W204	12B1070	104.00	!Diameter 295,0 mm				
	04.12-05.14	156/KW 115	W204	7774 RDB RS	99.00					
C 180 1,6i 16V Coupé	04.12-12.15	156/KW 115	C204	12B1070	104.00	!Diameter 295,0 mm				
	04.12-12.15	156/KW 115	C204	7774 RDB RS	99.00					
C 180 1,6i 16V K.	01.07-06.10	156/KW 115	W204	12B1070	104.00	!Diameter 295,0 mm				
	01.07-06.10	156/KW 115	W204	7774 RDB RS	99.00					
C 180 1,6i 16V K. SW	10.08-06.10	156/KW 115	S204	12B1070	104.00	!Diameter 295,0 mm				
	10.08-06.10	156/KW 115	S204	7774 RDB RS	99.00					
C 180 1,6i 16V SW	04.12-10.14	156/KW 115	S204	12B1070	104.00	!Diameter 295,0 mm				
	04.12-10.14	156/KW 115	S204	7774 RDB RS	99.00					
C 180 1,8i 16V	01.11-08.12	156/KW 115	W204	12B1070	104.00	!Diameter 295,0 mm				
	01.11-08.12	156/KW 115	W204	7774 RDB RS	99.00					
C 180 1,8i 16V CGI	10.09-05.11	156/KW 115	W204	12B1070	104.00	!Diameter 295,0 mm				
	10.09-05.11	156/KW 115	W204	7774 RDB RS	99.00					
C 180 1,8i 16V CGI SW	10.09-05.11	156/KW 115	S204	12B1070	104.00	!Diameter 295,0 mm				
	10.09-05.11	156/KW 115	S204	7774 RDB RS	99.00					
C 180 1,8i 16V Coupé	03.11-08.12	156/KW 115	C204	12B1070	104.00	!Diameter 295,0 mm				
	03.11-08.12	156/KW 115	C204	7774 RDB RS	99.00					
C 180 1,8i 16V K.	03.02-12.06	143/KW 105	W203	7356 RDB RS	89.00		12B1011	64.00	!Diameter 278,0 mm	
	03.02-12.06	143/KW 105	W203				12B1076	69.00	!Diameter 290,0 mm	
C 180 1,8i 16V K.	01.07-04.10	156/KW 115	W204	12B1070	104.00	!Diameter 295,0 mm				
	01.07-04.10	156/KW 115	W204	7774 RDB RS	99.00					
C 180 1,8i 16V K. Coupé	03.02-06.08	143/KW 105	C203	7356 RDB RS	89.00		12B1011	64.00		
C 180 1,8i 16V K. SW	06.02-08.07	143/KW 105	S203	7356 RDB RS	89.00	!For Brake Disc Diameter 288,0 mm	12B1011	64.00	!Diameter 278,0 mm	
	06.02-08.07	143/KW 105	S203				12B1076	69.00	!Diameter 290,0 mm	
C 180 1,8i 16V K. SW	09.07-12.08	156/KW 115	S204	12B1070	104.00	!Diameter 295,0 mm				
	09.07-12.08	156/KW 115	S204	7774 RDB RS	99.00					
C 180 1,8i 16V SW	03.96-04.00	122/KW 90	S202	12B1044	84.00		12B1011	64.00		
C 180 1,8i 16V SW	01.11-08.12	156/KW 115	S204	12B1070	104.00	!Diameter 295,0 mm				
	01.11-08.12	156/KW 115	S204	7774 RDB RS	99.00					
C 180 2,0i 16V	03.00-10.02	129/KW 95	W203	7356 RDB RS	89.00	!For Brake Disc Diameter 288,0 mm	12B1011	64.00	!Diameter 278,0 mm	
	03.00-10.02	129/KW 95	W203				12B1076	69.00	!Diameter 290,0 mm	
C 180 2,0i 16V Coupé	09.00-10.02	129/KW 95	C203	7356 RDB RS	89.00		12B1011	64.00		
C 180 2,0i 16V SW	05.00-12.00	129/KW 95	S202	12B1044	84.00		12B1011	64.00		
C 180 2,0i 16V SW	01.01-05.02	129/KW 95	S203	7356 RDB RS	89.00	!For Brake Disc Diameter 288,0 mm	12B1011	64.00	!Diameter 278,0 mm	
	01.01-05.02	129/KW 95	S203				12B1076	69.00	!Diameter 290,0 mm	
C 180 2,1d 16V	04.10-05.11	120/KW 88	W204	12B1070	104.00	!Diameter 295,0 mm				
	04.10-05.11	120/KW 88	W204	7774 RDB RS	99.00					
C 180 2,1d 16V	01.11-05.14	120/KW 88	W204	12B1070	104.00	!Diameter 295,0 mm				
	01.11-05.14	120/KW 88	W204	7774 RDB RS	99.00					
C 180 2,1d 16V SW	04.10-05.11	120/KW 88	S204	12B1070	104.00	!Diameter 295,0 mm				
	04.10-05.11	120/KW 88	S204	7774 RDB RS	99.00					
C 180 2,1d 16V SW	01.11-10.14	120/KW 88	S204	12B1070	104.00	!Diameter 295,0 mm				
	01.11-10.14	120/KW 88	S204	7774 RDB RS	99.00					
C 200 1,8i 16V	01.11-05.14	184/KW 135	W204	12B1070	104.00	!Diameter 295,0 mm				
	01.11-05.14	184/KW 135	W204	7774 RDB RS	99.00					
C 200 1,8i 16V CGI	09.02-04.05	170/KW 125	W203	7356 RDB RS	89.00		12B1011	64.00		
C 200 1,8i 16V CGI	10.09-05.11	184/KW 135	W204	12B1070	104.00	!Diameter 295,0 mm				
	10.09-05.11	184/KW 135	W204	7774 RDB RS	99.00					
C 200 1,8i 16V CGI Coupé	06.02-08.06	170/KW 125	C203	7356 RDB RS	89.00		12B1011	64.00		
C 200 1,8i 16V CGI SW	10.09-05.11	184/KW 135	S204	12B1070	104.00	!Diameter 295,0 mm				
	10.09-05.11	184/KW 135	S204	7774 RDB RS	99.00					
C 200 1,8i 16V Coupé	06.02-08.06	163/KW 120	C203	7356 RDB RS	89.00		12B1011	64.00		
C 200 1,8i 16V Coupé	01.11-12.15	184/KW 135	C204	12B1070	104.00	!Diameter 295,0 mm				
	01.11-12.15	184/KW 135	C204	7774 RDB RS	99.00					
C 200 1,8i 16V K.	06.02-12.06	163/KW 120	W203	7356 RDB RS	89.00		12B1011	64.00		
C 200 1,8i 16V K.	01.07-06.10	184/KW 135	W204	12B1070	104.00	!Diameter 295,0 mm				
	01.07-06.10	184/KW 135	W204	7774 RDB RS	99.00					
C 200 1,8i 16V K. SW	09.07-06.10	184/KW 135	S204	12B1070	104.00	!Diameter 295,0 mm				
	09.07-06.10	184/KW 135	S204	7774 RDB RS	99.00					
C 200 1,8i 16V SW	01.11-10.14	184/KW 135	S204	12B1070	104.00	!Diameter 295,0 mm				
	01.11-10.14	184/KW 135	S204	7774 RDB RS	99.00					
C 200 2,0i 16V	06.93-05.00	136/KW 100	W202	12B1044	84.00					
C 200 2,0i 16V	12.13-12.18	184/KW 135	W205	12B1075	89.00	!Diameter 300,0 mm				
C 200 2,0i 16V 4WD	04.15-12.18	184/KW 135	W205	12B1075	89.00	!Diameter 300,0 mm				
C 200 2,0i 16V Cabrio	06.16-12.18	184/KW 135	A205	12B1075	89.00	!Diameter 300,0 mm				
C 200 2,0i 16V Cabrio 4WD	06.16-12.18	184/KW 135	A205	12B1075	89.00	!Diameter 300,0 mm				
C 200 2,0i 16V Coupé	10.15-12.18	184/KW 135	C205	12B1075	89.00	!Diameter 300,0 mm				
C 200 2,0i 16V Coupé 4WD	06.14-12.18	184/KW 135	C205	12B1075	89.00	!Diameter 300,0 mm				
C 200 2,0i 16V K.	03.00-03.04	163/KW 120	W203	7356 RDB RS	89.00	!For Brake Disc Diameter 288,0 mm	12B1011	64.00	!Diameter 278,0 mm	
	03.00-03.04	163/KW 120	W203				12B1076	69.00	!Diameter 290,0 mm	
C 200 2,0i 16V K. Coupé	09.00-05.02	163/KW 120	C203	7356 RDB RS	89.00		12B1011	64.00		
C 200 2,0i 16V K. SW	06.00-12.00	163/KW 120	S202	7316 RDB RS	84.00		12B1011	64.00		
C 200 2,0i 16V K. SW	01.01-08.07	163/KW 120	S203	7356 RDB RS	89.00	!For Brake Disc Diameter 288,0 mm	12B1011	64.00	!Diameter 278,0 mm	
	01.01-08.07	163/KW 120	S203				12B1076	69.00	!Diameter 290,0 mm	
C 200 2,0i 16V SW	03.96-04.00	136/KW 100	S202	12B1044	84.00		12B1011	64.00		
C 200 2,0i 16V SW	06.14-12.18	184/KW 135	S205	12B1075	89.00	!Diameter 300,0 mm				
C 200 2,0i 16V SW 4WD	04.15-12.18	184/KW 135	S205	12B1075	89.00	!Diameter 300,0 mm				
C 200 2,1d	01.07-05.14	136/KW 100	W204	12B1070	104.00	!Diameter 295,0 mm				
C 200 2,1d	01.07-05.14	136/KW 100	W204	7774 RDB RS	99.00					
C 200 2,1d SW	09.07-10.14	136/KW 100	S204	12B1070	104.00	!Diameter 295,0 mm				
C 200 2,1d SW	09.07-10.14	136/KW 100	S204	7774 RDB RS	99.00					
C 200 2,2d	09.00-12.06	116/KW 85	W203	7356 RDB RS	89.00		12B1011	64.00		
C 200 2,2d	09.00-12.06	122/KW 90	W203	7356 RDB RS	89.00		12B1011	64.00		
C 200 2,2d Coupé	04.03-03.08	122/KW 90	C203	7356 RDB RS	89.00		12B1011	64.00		
C 200 2,2d SW	03.01-08.07	116/KW 85	S203	7356 RDB RS	89.00		12B1011	64.00		
C 200 2,2d SW	03.01-08.07	122/KW 90	S203	7356 RDB RS	89.00		12B1011	64.00		
C 220 2,1d	04.09-05.14	170/KW 125	W204	12B1070	104.00	!Diameter 295,0 mm				
	04.09-05.14	170/KW 125	W204	7774 RDB RS	99.00					
C 220 2,1d 4WD	04.13-05.14	170/KW 125	W204	12B1070	104.00	!Diameter 295,0 mm				
	04.13-05.14	170/KW 125	W204	7774 RDB RS	99.00					
C 220 2,1d Coupé	03.11-12.15	170/KW 125	C204	12B1070	104.00	!Diameter 295,0 mm				
	03.11-12.15	170/KW 125	C204	7774 RDB RS	99.00					
C 220 2,1d SW	04.09-10.14	170/KW 125	S204	12B1070	104.00	!Diameter 295,0 mm				
	04.09-10.14	170/KW 125	S204	7774 RDB RS	99.00					
C 220 2,1d SW 4WD	04.13-10.14	170/KW 125	S204	12B1070	104.00	!Diameter 295,0 mm				
	04.13-10.14	170/KW 125	S204	7774 RDB RS	99.00					

C 220 2,2d	09.97-05.00	125/KW 92	W202	12B1044	84.00				
C 220 2,2d	06.00-01.04	143/KW 105	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 288,0 mm	12B1011	64.00	I Diameter 278,0 mm
	06.00-01.04	143/KW 105	W203				12B1076	69.00	I Diameter 290,0 mm
C 220 2,2d	02.04-12.06	150/KW 110	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 288,0 mm	12B1011	64.00	I Diameter 278,0 mm
	02.04-12.06	150/KW 110	W203				12B1076	69.00	I Diameter 290,0 mm
C 220 2,2d	01.07-07.09	170/KW 125	W204	12B1070	104.00	I Diameter 295,0 mm			
	01.07-07.09	170/KW 125	W204	7774 RDB RS	99.00				
C 220 2,2d Coupé	01.01-01.04	143/KW 105	C203	7356 RDB RS	89.00		12B1011	64.00	
C 220 2,2d Coupé	02.04-06.08	150/KW 110	C203	7356 RDB RS	89.00	IFor Brake Disc Diameter 288,0 mm	12B1011	64.00	I Diameter 278,0 mm
	02.04-06.08	150/KW 110	C203				12B1076	69.00	I Diameter 290,0 mm
C 220 2,2d SW	03.96-05.98	95/KW 70	S202	12B1044	84.00		12B1011	64.00	
C 220 2,2d SW	09.97-12.00	125/KW 92	S202				12B1011	64.00	
C 220 2,2d SW	01.01-01.04	143/KW 105	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 288,0 mm	12B1011	64.00	I Diameter 278,0 mm
	01.01-01.04	143/KW 105	S203				12B1076	69.00	I Diameter 290,0 mm
C 220 2,2d SW	02.04-08.07	150/KW 110	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 288,0 mm	12B1011	64.00	I Diameter 278,0 mm
	02.04-08.07	150/KW 110	S203				12B1076	69.00	I Diameter 290,0 mm
C 220 2,2d SW	09.07-07.09	170/KW 125	S204	12B1070	104.00	I Diameter 295,0 mm			
	09.07-07.09	170/KW 125	S204	7774 RDB RS	99.00				
C 220 2,2i 16V	06.93-04.96	150/KW 110	W202	12B1044	84.00				
C 230 1,8i 16V K.	02.04-12.06	192/KW 141	W203				12B1076	69.00	I Diameter 290,0 mm
C 230 1,8i 16V K. Coupé	03.02-12.07	192/KW 141	C203	12B1075	89.00	I Diameter 300,0 mm	12B1011	64.00	I Diameter 278,0 mm
	03.02-12.07	192/KW 141	C203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
C 230 1,8i 16V K. SW	02.04-09.07	192/KW 141	S203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	02.04-09.07	192/KW 141	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 230 2,3i 16V	05.96-06.97	150/KW 110	W202	12B1044	84.00				
C 230 2,3i 16V K.	09.95-04.00	193/KW 142	W202	7316 RDB RS	84.00		12B1011	64.00	
C 230 2,3i 16V K. Coupé	09.00-03.04	197/KW 145	C203	12B1075	89.00		12B1011	64.00	
	09.00-03.04	197/KW 145	C203	7356 RDB RS	89.00				
C 230 2,3i 16V K. SW	06.97-04.00	193/KW 142	S202	7316 RDB RS	84.00		12B1011	64.00	
C 230 2,3i 16V SW	03.96-05.97	150/KW 110	S202	12B1044	84.00		12B1011	64.00	
C 230 2,5i 24V V6	06.05-12.06	204/KW 150	W203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	06.05-12.06	204/KW 150	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 230 2,5i 24V V6	01.07-07.09	204/KW 150	W204	12B1070	104.00	I Diameter 295,0 mm			
	01.07-07.09	204/KW 150	W204	7774 RDB RS	99.00				
C 230 2,5i 24V V6 Coupé	03.05-06.08	204/KW 150	C203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	03.05-06.08	204/KW 150	C203	7356 RDB RS	89.00				
C 230 2,5i 24V V6 SW	06.05-08.07	204/KW 150	S203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	06.05-08.07	204/KW 150	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 230 2,5i 24V V6 SW	09.07-07.09	204/KW 150	S204	12B1070	104.00	I Diameter 295,0 mm			
	09.07-07.09	204/KW 150	S204	7774 RDB RS	99.00				
C 240 2,4i 18V V6	06.97-05.00	170/KW 125	W202	7316 RDB RS	84.00		12B1011	64.00	
C 240 2,4i 18V V6 SW	06.97-05.00	170/KW 125	S202	7316 RDB RS	84.00		12B1011	64.00	
C 240 2,6i 18V V6	06.00-05.05	170/KW 125	W203	12B1075	89.00	I Diameter 300,0 mm	12B1011	64.00	I Diameter 278,0 mm
	06.00-05.05	170/KW 125	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
C 240 2,6i 18V V6 4WD	09.02-05.05	170/KW 125	W203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	09.02-05.05	170/KW 125	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 240 2,6i 18V V6 SW	06.00-12.00	170/KW 125	S202	7316 RDB RS	84.00		12B1011	64.00	
C 240 2,6i 18V V6 SW	01.01-05.05	170/KW 125	S203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	
	01.01-05.05	170/KW 125	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 240 2,6i 18V V6 SW 4WD	09.02-05.05	170/KW 125	S203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	
	09.02-05.05	170/KW 125	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 250 1,8i 16V	01.11-05.14	204/KW 150	W204	12B1070	104.00	I Diameter 295,0 mm			
	01.11-05.14	204/KW 150	W204	7774 RDB RS	99.00				
C 250 1,8i 16V CGI	04.09-05.11	204/KW 150	W204	12B1070	104.00	I Diameter 295,0 mm			
	04.09-05.11	204/KW 150	W204	7774 RDB RS	99.00				
C 250 1,8i 16V CGI SW	04.09-05.11	204/KW 150	S204	12B1070	104.00	I Diameter 295,0 mm			
	04.09-05.11	204/KW 150	S204	7774 RDB RS	99.00				
C 250 1,8i 16V Coupé	03.11-12.15	204/KW 150	C204	12B1070	104.00	I Diameter 295,0 mm			
	03.11-12.15	204/KW 150	C204	7774 RDB RS	99.00				
C 250 1,8i 16V SW	01.11-10.14	204/KW 150	S204	12B1070	104.00	I Diameter 295,0 mm			
	01.11-10.14	204/KW 150	S204	7774 RDB RS	99.00				
C 250 2,1d 16V	10.08-05.14	204/KW 150	W204	12B1070	104.00	I Diameter 295,0 mm			
	10.08-05.14	204/KW 150	W204	7774 RDB RS	99.00				
C 250 2,1d 16V 4WD	01.10-05.14	204/KW 150	W204	12B1070	104.00	I Diameter 295,0 mm			
	01.10-05.14	204/KW 150	W204	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
C 250 2,1d 16V Coupé	03.11-12.15	204/KW 150	C204	12B1070	104.00	I Diameter 295,0 mm			
	03.11-12.15	204/KW 150	C204	7774 RDB RS	99.00				
C 250 2,1d 16V SW	04.09-10.14	204/KW 150	S204	12B1070	104.00	I Diameter 295,0 mm			
	04.09-10.14	204/KW 150	S204	7774 RDB RS	99.00				
C 250 2,1d 16V SW 4WD	01.10-10.14	204/KW 150	S204	12B1070	104.00	I Diameter 295,0 mm			
	01.10-10.14	204/KW 150	S204	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
C 250 2,5d	09.95-04.00	150/KW 110	W202	7316 RDB RS	84.00		12B1011	64.00	
C 250 2,5d SW	03.96-12.00	150/KW 110	S202	7316 RDB RS	84.00		12B1011	64.00	
C 270 2,7d	11.00-02.05	170/KW 125	W203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	11.00-02.05	170/KW 125	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 270 2,7d SW	01.01-02.05	170/KW 125	S203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	
	01.01-02.05	170/KW 125	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 280 2,8i 24V	06.93-08.95	193/KW 142	W202	12B1044	84.00	I Diameter 284,0 mm	12B1011	64.00	I Diameter 278,0 mm
	09.95-06.97	193/KW 142	W202	7316 RDB RS	84.00				
C 280 2,8i 24V	07.97-04.00	197/KW 145	W202	7316 RDB RS	84.00		12B1011	64.00	I Diameter 278,0 mm
C 280 2,8i 24V SW	06.97-12.00	197/KW 145	S202	7316 RDB RS	84.00		12B1011	64.00	
C 280 3,0i 24V V6	06.05-12.06	231/KW 170	W203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	06.05-12.06	231/KW 170	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 280 3,0i 24V V6	01.07-04.09	231/KW 170	W204	12B1070	104.00	I Diameter 295,0 mm			
	01.07-04.09	231/KW 170	W204	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
C 280 3,0i 24V V6 4WD	06.05-06.07	231/KW 170	W203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	06.05-06.07	231/KW 170	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 280 3,0i 24V V6 4WD	07.07-05.09	231/KW 170	W204	12B1070	104.00	I Diameter 295,0 mm			
	07.07-05.09	231/KW 170	W204	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
C 280 3,0i 24V V6 SW	06.05-08.07	231/KW 170	S203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	06.05-08.07	231/KW 170	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 280 3,0i 24V V6 SW	09.07-04.09	231/KW 170	S204	12B1070	104.00	I Diameter 295,0 mm			
	09.07-04.09	231/KW 170	S204	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
C 280 3,0i 24V V6 SW 4WD	04.05-12.07	231/KW 170	S203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	04.05-12.07	231/KW 170	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 300 3,0i 24V V6	04.09-01.11	231/KW 170	W204	12B1070	104.00	I Diameter 295,0 mm			
	04.09-01.11	231/KW 170	W204	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
C 300 3,0i 24V V6 4WD	04.09-01.11	231/KW 170	W204	12B1070	104.00	I Diameter 295,0 mm			
	04.09-01.11	231/KW 170	W204	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
C 320 3,0d V6	03.05-12.06	224/KW 165	W203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm
	03.05-12.06	224/KW 165	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
C 320 3,0d V6 SW	01.05-12.07	224/KW 165	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 330,0 mm	12B1076	69.00	I Diameter 290,0 mm
C 320 3,2i 18V V6	06.00-05.05	218/KW 160	W203	12B1075	89.00	I Diameter 300,0 mm	12B1076	69.00	I Diameter 290,0 mm

C 320 3,2i 18V V6 4WD	06.00-05.05	218/KW 160	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
	09.02-05.05	218/KW 160	W203	12B1075	89.00	IFor Brake Disc Diameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
C 320 3,2i 18V V6 Coupé	09.02-05.05	218/KW 160	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
	12.02-05.05	218/KW 160	C203	12B1075	89.00		12B1011	64.00	
C 320 3,2i 18V V6 SW	12.02-05.05	218/KW 160	C203	7356 RDB RS	89.00				
	01.01-05.05	218/KW 160	S203	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	
C 320 3,2i 18V V6 SW 4WD	01.01-05.05	218/KW 160	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
	09.02-05.05	218/KW 160	S203	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	
C 350 3,5i 24V V6	09.02-05.05	218/KW 160	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
	06.05-12.06	272/KW 200	W203	7356 RDB RS	89.00	IFor Brake Disc Diameter 330,0 mm	12B1076	69.00	IDiameter 290,0 mm
C 350 3,5i 24V V6	01.11-05.14	306/KW 225	W204	7774 RDB RS	99.00	IFor Brake Disc Diameter 344,0 mm			
C 350 3,5i 24V V6 4WD	06.05-12.06	272/KW 200	W203				12B1076	69.00	IDiameter 290,0 mm
C 350 3,5i 24V V6 4WD	01.11-05.14	306/KW 225	W204	7774 RDB RS	99.00	IFor Brake Disc Diameter 344,0 mm			
C 350 3,5i 24V V6 Coupé	03.05-06.08	272/KW 200	C203	7356 RDB RS	89.00	IFor Brake Disc Diameter 330,0 mm	12B1076	69.00	IDiameter 290,0 mm
C 350 3,5i 24V V6 SW	03.05-06.08	272/KW 200	C203	7356 RDB RS	89.00	IFor Brake Disc Diameter 330,0 mm	12B1076	69.00	IDiameter 290,0 mm
	06.05-08.07	272/KW 200	S203	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
C 350 3,5i 24V V6 SW	06.05-08.07	272/KW 200	S203	7356 RDB RS	89.00	IFor Brake Disc Diameter 300,0 mm			
	01.11-10.14	306/KW 225	S204	7774 RDB RS	99.00	IFor Brake Disc Diameter 344,0 mm			
C 350 3,5i 24V V6 SW 4WD	06.05-08.07	272/KW 200	S203				12B1076	69.00	ISolid
C 36 AMG 3,6i 24V V6	06.94-08.95	280/KW 206	W202	12B1044	84.00		12B1011	64.00	IDiameter 278,0 mm
	09.95-06.97	280/KW 206	W202	7316 RDB RS	84.00	I Caliper ATE	12B1076	69.00	IDiameter 290,0 mm
CL 500 5,0i 24V V8	01.00-10.06	299/KW 220	C215				12B1099	104.00	
CL 500 5,0i 24V V8	09.99-10.06	306/KW 225	C215				12B1099	104.00	
CLC 160 1,6i 16V	01.09-01.11	129/KW 95	C203	7356 RDB RS	89.00		12B1011	64.00	
CLC 180 1,8i 16V K.	03.08-01.11	143/KW 105	C203	7356 RDB RS	89.00		12B1011	64.00	
CLC 200 1,8i 16V K.	03.08-01.11	184/KW 135	C203	7356 RDB RS	89.00		12B1011	64.00	
CLC 200 2,1d	03.08-01.11	122/KW 90	C203	7356 RDB RS	89.00		12B1011	64.00	
CLC 220 2,1d	03.08-01.11	150/KW 110	C203	7356 RDB RS	89.00		12B1011	64.00	
CLC 230 2,5i 24V V6	03.08-05.09	204/KW 150	C203	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	03.08-05.09	204/KW 150	C203	7356 RDB RS	89.00				
CLC 250 2,5i 24V V6	04.09-01.11	204/KW 150	C203	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	04.09-01.11	204/KW 150	C203	7356 RDB RS	89.00				
CLC 350 3,5i 24V V6	03.08-01.11	272/KW 200	C203	7356 RDB RS	89.00	IFor Brake Disc Diameter 330,0 mm	12B1076	69.00	IDiameter 290,0 mm
CLK 200 1,8i 16V K. Cabrio	03.03-11.06	163/KW 120	A209	12B1075	89.00	IDiameter 300,0 mm	12B1011	64.00	IDiameter 278,0 mm
	03.03-11.06	163/KW 120	A209	7356 RDB RS	89.00		12B1076	69.00	IDiameter 290,0 mm
CLK 200 1,8i 16V K. Cabrio	12.06-04.10	184/KW 135	A209	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	12.06-04.10	184/KW 135	A209	7356 RDB RS	89.00				
CLK 200 1,8i 16V K. Coupé	03.02-11.06	163/KW 120	C209	12B1075	89.00	IDiameter 300,0 mm	12B1011	64.00	IDiameter 278,0 mm
	03.02-11.06	163/KW 120	C209	7356 RDB RS	89.00		12B1076	69.00	IDiameter 290,0 mm
CLK 200 1,8i 16V K. Coupé	12.06-04.09	184/KW 135	C209	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	12.06-04.09	184/KW 135	C209	7356 RDB RS	89.00				
CLK 200 1,8i 16V K. Coupé CGI	03.02-04.05	170/KW 125	C209	12B1075	89.00	IDiameter 300,0 mm	12B1011	64.00	IDiameter 278,0 mm
	03.02-04.05	170/KW 125	C209	7356 RDB RS	89.00		12B1076	69.00	IDiameter 290,0 mm
CLK 200 2,0i 16V Cabrio	03.98-04.00	136/KW 100	A208	7316 RDB RS	84.00		12B1011	64.00	IDiameter 278,0 mm
CLK 200 2,0i 16V Coupé	02.97-04.00	136/KW 100	C208	7316 RDB RS	84.00		12B1011	64.00	IDiameter 278,0 mm
CLK 200 2,0i 16V K. Cabrio	05.00-02.03	163/KW 120	A208	7356 RDB RS	89.00		12B1011	64.00	IDiameter 278,0 mm
CLK 200 2,0i 16V K. Coupé	05.00-02.02	163/KW 120	C208	7356 RDB RS	89.00		12B1011	64.00	IDiameter 278,0 mm
CLK 220 2,2d Coupé	04.05-04.09	150/KW 110	C209	7356 RDB RS	89.00		12B1011	64.00	IDiameter 278,0 mm
	04.05-04.09	150/KW 110	C209				12B1076	69.00	IDiameter 290,0 mm
CLK 230 2,3i 16V K. Cabrio	03.98-04.00	193/KW 142	A208	12B1075	89.00		12B1076	69.00	
CLK 230 2,3i 16V K. Cabrio	05.00-02.03	197/KW 145	A208	12B1075	89.00		12B1076	69.00	
CLK 230 2,3i 16V K. Coupé	02.97-04.00	193/KW 142	C208	7316 RDB RS	84.00		12B1011	64.00	IDiameter 278,0 mm
CLK 230 2,3i 16V K. Coupé	05.00-02.02	197/KW 145	C208	7316 RDB RS	84.00		12B1011	64.00	IDiameter 278,0 mm
CLK 240 2,6i 18V Cabrio	03.03-05.05	170/KW 125	A209	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	03.03-05.05	170/KW 125	A209	7356 RDB RS	89.00				
CLK 240 2,6i 18V Coupé	03.02-05.05	170/KW 125	C209	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	03.02-05.05	170/KW 125	C209	7356 RDB RS	89.00				
CLK 270 2,7d 20V Coupé	03.02-05.05	170/KW 125	C209	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	03.02-05.05	170/KW 125	C209	7356 RDB RS	89.00				
CLK 280 3,0i V6 Cabrio	04.05-04.10	231/KW 170	A209	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	04.05-04.10	231/KW 170	A209	7356 RDB RS	89.00				
CLK 280 3,0i V6 Coupé	04.05-04.09	231/KW 170	C209	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	04.05-04.09	231/KW 170	C209	7356 RDB RS	89.00				
CLK 320 3,0d V6 Cabrio	04.05-04.10	224/KW 165	A209				12B1076	69.00	
CLK 320 3,0d V6 Coupé	04.05-04.09	224/KW 165	C209				12B1076	69.00	
CLK 320 3,2i V6 Cabrio	03.98-02.03	218/KW 160	A208	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
CLK 320 3,2i V6 Cabrio	03.03-05.05	218/KW 160	A209	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	03.03-05.05	218/KW 160	A209	7356 RDB RS	89.00				
CLK 320 3,2i V6 Coupé	02.97-02.02	218/KW 160	C208	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
CLK 320 3,2i V6 Coupé	03.02-05.05	218/KW 160	C209	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	IDiameter 290,0 mm
	03.02-05.05	218/KW 160	C209	7356 RDB RS	89.00				
CLK 350 3,5i V6 Cabrio	04.05-04.10	272/KW 200	A209				12B1076	69.00	
CLK 350 3,5i V6 Coupé	04.05-04.09	272/KW 200	C209				12B1076	69.00	
CLK 430 4,3i V8 Cabrio	07.99-02.03	279/KW 205	A208				12B1076	69.00	ISolid
CLK 430 4,3i V8 Coupé	03.98-07.99	279/KW 205	C208	12B1075	89.00	IDiameter 300,0 mm	12B1076	69.00	ISolid
	03.98-07.99	279/KW 205	C208	7431 RDB RS	89.00	I Caliper with 4 Pistons			
CLS 220 2,1d 16V	06.14-06.18	170/KW 125	C218				12B1015	84.00	ISolid
CLS 220 2,1d 16V SW	06.14>	170/KW 125	X218				12B1015	84.00	ISolid
CLS 250 2,1d 16V	09.10-09.14	204/KW 150	C218				12B1015	84.00	ISolid
CLS 250 2,1d 16V	06.14-06.18	204/KW 150	C218				12B1015	84.00	ISolid
CLS 250 2,1d 16V 4WD	06.14-06.18	204/KW 150	C218				12B1015	84.00	ISolid
CLS 250 2,1d 16V SW	07.12-09.14	204/KW 150	X218				12B1015	84.00	ISolid
CLS 250 2,1d 16V SW	06.14>	204/KW 150	X218				12B1015	84.00	ISolid
CLS 250 2,1d 16V SW 4WD	06.14>	204/KW 150	X218				12B1015	84.00	ISolid
CLS 320 3,0d V6	05.05-05.09	224/KW 165	C219	12B1016	89.00	IDiameter 312,0 mm			
CLS 350 3,0d 24V V6	01.13-09.14	252/KW 185	C218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6	06.14-06.18	258/KW 190	C218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6	09.10-09.14	265/KW 195	C218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6 4WD	01.13-07.15	252/KW 185	C218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6 4WD	04.15-06.18	258/KW 190	C218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6 4WD	07.11-09.14	265/KW 195	C218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6 SW	06.14>	258/KW 190	X218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6 SW	07.12-09.14	265/KW 195	X218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6 SW 4WD	06.14-07.15	252/KW 185	X218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6 SW 4WD	04.15>	258/KW 190	X218				12B1015	84.00	ISolid
CLS 350 3,0d 24V V6 SW 4WD	07.12-09.14	265/KW 195	X218				12B1015	84.00	ISolid
E 200 1,8i 16V CGI	07.09-05.13	184/KW 135	W212	12B1070	104.00	IDiameter 295,0 mm			
	07.09-05.13	184/KW 135	W212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 200 1,8i 16V CGI Cabrio	01.10-06.13	184/KW 135	A207	12B1070	104.00	IDiameter 295,0 mm			
	01.10-06.13	184/KW 135	A207	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 200 1,8i 16V CGI Coupé	01.10-06.13	184/KW 135	C207	12B1070	104.00	IDiameter 295,0 mm			
	01.10-06.13	184/KW 135	C207	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 200 1,8i 16V CGI SW	09.09-05.13	184/KW 135	S212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	09.09-05.13	184/KW 135	S212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			

E 200 1,8i 16V K.	09.02-04.06	163/KW 120	W211				12B1015	84.00	ISolid
E 200 1,8i 16V K.	05.06-05.09	184/KW 135	W211				12B1015	84.00	ISolid
E 200 1,8i 16V K. NGT	12.03-05.09	163/KW 120	W211				12B1015	84.00	ISolid
E 200 1,8i 16V K. SW	02.03-04.06	163/KW 120	S211				12B1015	84.00	ISolid
E 200 1,8i 16V K. SW	05.06-12.09	184/KW 135	S211				12B1015	84.00	ISolid
E 200 1,8i 16V NGT	01.11-05.13	163/KW 120	W212	12B1070	104.00	IDiameter 295,0 mm			
	01.11-05.13	163/KW 120	W212	7774 RDB RS	99.00				
E 200 2,0i 16V	06.93-06.95	136/KW 100	W124	12B1061	69.00				
E 200 2,0i 16V	07.95-04.00	136/KW 100	W210	7316 RDB RS	84.00		12B1011	64.00	
E 200 2,0i 16V	07.13-06.16	156/KW 115	W212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	07.13-06.16	156/KW 115	W212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 200 2,0i 16V	01.13-06.16	184/KW 135	W212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	01.13-06.16	184/KW 135	W212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 200 2,0i 16V Cabrio	06.94-08.96	136/KW 100	C124	12B1061	69.00				
E 200 2,0i 16V Cabrio	03.13-12.17	184/KW 135	A207	12B1070	104.00	IDiameter 295,0 mm			
	03.13-12.17	184/KW 135	A207	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 200 2,0i 16V Coupé	01.95-07.96	136/KW 100	C124	12B1061	69.00				
E 200 2,0i 16V Coupé	03.13-05.17	184/KW 135	C207	12B1070	104.00	IDiameter 295,0 mm			
	03.13-05.17	184/KW 135	C207	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 200 2,0i 16V K.	05.00-02.02	163/KW 120	W210	12B1075	89.00	IDiameter 300,0 mm	12B1011	64.00	
	05.00-02.02	163/KW 120	W210	7316 RDB RS	84.00				
E 200 2,0i 16V K. SW	05.00-01.03	163/KW 120	S210	12B1075	89.00	IDiameter 300,0 mm			
	05.00-01.03	163/KW 120	S210	7316 RDB RS	84.00				
E 200 2,0i 16V SW	06.93-03.96	136/KW 100	T124	12B1061	69.00		12B1011	64.00	
E 200 2,0i 16V SW	04.96-04.00	136/KW 100	S210	7316 RDB RS	84.00				
E 200 2,0i 16V SW	01.13-10.16	184/KW 135	S212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	01.13-10.16	184/KW 135	S212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 200 2,1d 16V	07.99-03.02	116/KW 85	W210	7316 RDB RS	84.00		12B1011	64.00	
E 200 2,1d 16V	04.02-04.06	122/KW 90	W211				12B1015	84.00	ISolid
E 200 2,1d 16V	05.06-06.09	136/KW 100	W211				12B1015	84.00	ISolid
E 200 2,1d 16V	02.09-06.16	136/KW 100	W212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	02.09-06.16	136/KW 100	W212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 200 2,1d 16V SW	08.09-10.16	136/KW 100	S212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	08.09-10.16	136/KW 100	S212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 220 2,1d 16V	01.09-06.16	170/KW 125	W212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	01.09-06.16	170/KW 125	W212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 220 2,1d 16V 4WD	02.15-06.16	170/KW 125	W212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	02.15-06.16	170/KW 125	W212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 220 2,1d 16V Cabrio	01.10-12.17	170/KW 125	A207	12B1070	104.00	IDiameter 295,0 mm			
	01.10-12.17	170/KW 125	A207	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 220 2,1d 16V Coupé	01.10-05.17	170/KW 125	C207	12B1070	104.00	IDiameter 295,0 mm			
	01.10-05.17	170/KW 125	C207	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 220 2,1d 16V SW	08.09-10.16	170/KW 125	S212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	08.09-10.16	170/KW 125	S212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 220 2,1d 16V SW 4WD	01.15-10.16	170/KW 125	S212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	01.15-10.16	170/KW 125	S212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 220 2,2d	06.95-05.98	95/KW 70	W210	7316 RDB RS	84.00		12B1011	64.00	
E 220 2,2d 16V	04.98-06.99	125/KW 92	W210	7316 RDB RS	84.00		12B1011	64.00	
E 220 2,2d 16V	07.99-01.02	143/KW 105	W210	7316 RDB RS	84.00		12B1011	64.00	
E 220 2,2d 16V	02.02-04.06	150/KW 110	W211				12B1015	84.00	ISolid
E 220 2,2d 16V	05.06-05.09	170/KW 125	W211				12B1015	84.00	ISolid
E 220 2,2d 16V SW	04.98-05.99	125/KW 92	S210	12B1075	89.00	IDiameter 300,0 mm			
	04.98-05.99	125/KW 92	S210	7316 RDB RS	84.00	IFor Brake Disc Diameter 288,0 mm			
E 220 2,2d 16V SW	06.99-01.03	143/KW 105	S210	12B1075	89.00	IDiameter 300,0 mm			
	06.99-01.03	143/KW 105	S210	7316 RDB RS	84.00	IFor Brake Disc Diameter 288,0 mm			
E 220 2,2d 16V SW	02.03-04.06	150/KW 110	S211				12B1015	84.00	ISolid
E 220 2,2d 16V SW	05.06-12.09	170/KW 125	S211				12B1015	84.00	ISolid
E 220 2,2i 16V	06.93-07.96	150/KW 110	W124	12B1061	69.00				
E 220 2,2i 16V Cabrio	06.93-08.96	150/KW 110	C124	12B1061	69.00		12B1011	64.00	
E 220 2,2i 16V Coupé	06.93-07.96	150/KW 110	C124	12B1061	69.00				
E 220 2,2i 16V SW	06.93-03.96	150/KW 110	T124	12B1061	69.00		12B1011	64.00	
E 230 2,3i 16V	06.95-09.97	150/KW 110	W210	7316 RDB RS	84.00		12B1011	64.00	
E 230 2,3i 16V SW	03.96-09.97	150/KW 110	S210	7316 RDB RS	84.00				
E 230 2,5i V6	01.07-05.09	204/KW 150	W211	12B1016	89.00	IDiameter 312,0 mm	12B1015	84.00	ISolid
E 230 2,5i V6 SW	07.07-12.09	204/KW 150	S211	12B1016	89.00	IDiameter 312,0 mm	12B1015	84.00	ISolid
E 240 2,4i 18V V6	09.97-04.00	170/KW 125	W210	12B1075	89.00	IDiameter 300,0 mm	12B1011	64.00	IDiameter 278,0 mm
	09.97-04.00	170/KW 125	W210	7316 RDB RS	84.00	IFor Brake Disc Diameter 288,0 mm			
E 240 2,4i 18V V6 SW	09.97-04.00	170/KW 125	S210	12B1075	89.00	IDiameter 300,0 mm	12B1011	64.00	IDiameter 278,0 mm
	09.97-04.00	170/KW 125	S210	7316 RDB RS	84.00	IFor Brake Disc Diameter 288,0 mm			
E 240 2,6i 18V V6	05.00-01.02	170/KW 125	W210	7316 RDB RS	84.00		12B1011	64.00	IDiameter 278,0 mm
E 240 2,6i 18V V6	02.02-05.05	177/KW 130	W211				12B1015	84.00	ISolid
E 240 2,6i 18V V6 4WD	08.03-05.05	177/KW 130	W211				12B1015	84.00	ISolid
E 240 2,6i 18V V6 SW	05.00-01.03	170/KW 125	S210	12B1075	89.00	IDiameter 300,0 mm			
E 240 2,6i 18V V6 SW	02.03-05.05	177/KW 130	S211				12B1015	84.00	ISolid
E 240 2,6i 18V V6 SW 4WD	08.03-05.05	177/KW 130	S211				12B1015	84.00	ISolid
E 250 1,8i 16V CGI	01.09-03.11	204/KW 150	W212				12B1015	84.00	ISolid
	01.11-05.13	204/KW 150	W212				12B1015	84.00	ISolid
E 250 1,8i 16V CGI Cabrio	01.10-06.13	204/KW 150	A207	12B1070	104.00	IDiameter 295,0 mm			
	01.10-06.13	204/KW 150	A207	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 250 1,8i 16V CGI Coupé	01.09-06.13	204/KW 150	C207	12B1070	104.00	IDiameter 295,0 mm			
	01.09-06.13	204/KW 150	C207	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 250 1,8i 16V CGI SW	08.09-03.11	204/KW 150	S212				12B1015	84.00	ISolid
	01.11-05.13	204/KW 150	S212				12B1015	84.00	ISolid
E 250 2,0i 16V	01.13-06.16	211/KW 155	W212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	01.13-06.16	211/KW 155	W212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 250 2,0i 16V SW	01.13-10.16	211/KW 155	S212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	01.13-10.16	211/KW 155	S212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 250 2,1d 16V	01.09-06.16	204/KW 150	W212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	01.09-06.16	204/KW 150	W212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 250 2,1d 16V 4WD	01.11-06.16	204/KW 150	W212	12B1070	104.00	IDiameter 295,0 mm	12B1015	84.00	ISolid
	01.11-06.16	204/KW 150	W212	7774 RDB RS	99.00	IFor Brake Disc Diameter 295,0 mm			
E 250 2,1d 16V Coupé	03.09-06.13	204/KW 150	C207				12B1015	84.00	ISolid
E 250 2,1d 16V SW	08.09-10.16	204/KW 150	S212				12B1015	84.00	ISolid
E 250 2,1d 16V SW 4WD	01.11-10.16	204/KW 150	S212				12B1015	84.00	ISolid
E 270 2,7d 20V	06.99-01.02	170/KW 125	W210	7316 RDB RS	84.00		12B1011	64.00	
E 270 2,7d 20V	02.02-05.05	177/KW 130	W211				12B1015	84.00	ISolid
E 270 2,7d 20V SW	06.99-01.03	170/KW 125	S210	7316 RDB RS	84.00				
E 270 2,7d 20V SW	02.03-05.05	177/KW 130	S211				12B1015	84.00	ISolid
E 280 2,8i 18V V6	06.97-03.02	204/KW 150	W210	12B1075	89.00		12B1076	69.00	
E 280 2,8i 18V V6 4WD	06.97-05.02	204/KW 150	W210	12B1075	89.00		12B1076	69.00	
E 280 2,8i 18V V6 SW	06.99-02.03	204/KW 150	S210	12B1075	89.00				
E 280 2,8i 18V V6 SW 4WD	06.97-05.03	204/KW 150	S210	12B1075	89.00				
E 280 2,8i 24V	05.93-12.95	193/KW 142	W124	12B1061	69.00				

E 280 2,8i 24V	01.96-06.99	193/KW 142	W210	1281075	89.00		1281076	69.00	
E 280 2,8i 24V President	06.93-06.95	193/KW 142	W124	1281062	74.00	!Thickness 22,0 mm	1281011	64.00	!Solid
	06.93-06.95	193/KW 142	W124	7431 RDB RS	89.00				
E 280 2,8i 24V SW	06.93-03.96	193/KW 142	T124	1281061	69.00		1281011	64.00	
E 280 3,0d V6	04.05-05.09	190/KW 140	W211	1281016	89.00	!Diameter 312,0 mm			
E 280 3,0d V6 4WD	07.05-05.09	190/KW 140	W211				1281015	84.00	!Solid
E 280 3,0d V6 SW	06.05-12.09	190/KW 140	S211				1281015	84.00	!Solid
E 280 3,0d V6 SW 4WD	07.05-12.09	190/KW 140	S211				1281015	84.00	!Solid
E 280 3,0i 24V V6	04.05-05.09	231/KW 170	W211	1281016	89.00	!Diameter 312,0 mm			
E 280 3,0i 24V V6 4WD	05.05-05.09	231/KW 170	W211	1281016	89.00	!Diameter 312,0 mm			
E 280 3,0i 24V V6 SW	04.05-12.09	231/KW 170	S211	1281016	89.00	!Diameter 312,0 mm			
E 280 3,0i 24V V6 SW 4WD	05.05-12.09	231/KW 170	S211	1281016	89.00	!Diameter 312,0 mm			
	06.04-05.05	177/KW 130	W211				1281011	64.00	!Diameter 278,0 mm
E 280 3,2d	06.04-05.05	177/KW 130	W211				1281015	84.00	!Diameter 300,0 mm
E 280 3,2d SW	06.04-05.05	177/KW 130	S211				1281015	84.00	!Solid
E 290 2,9d	01.96-05.99	129/KW 95	W210	7316 RDB RS	84.00		1281011	64.00	
E 290 2,9d SW	03.96-05.99	129/KW 95	S210	1281075	89.00	!Diameter 300,0 mm			
	03.96-05.99	129/KW 95	S210	7316 RDB RS	84.00	!For Brake Disc Diameter 288,0 mm			
E 300 3,0d	06.95-02.97	136/KW 100	W210	7316 RDB RS	84.00		1281011	64.00	
E 300 3,0d	06.93-06.95	147/KW 108	W124	1281061	69.00				
E 300 3,0d	02.97-05.99	177/KW 130	W210	1281075	89.00		1281076	69.00	
E 300 3,0d 24V	12.09-12.10	204/KW 150	W212	1281070	104.00	!Diameter 295,0 mm	1281015	84.00	!Solid
	12.09-12.10	204/KW 150	W212	7774 RDB RS	99.00	!For Brake Disc Diameter 295,0 mm			
E 300 3,0d 24V	09.07-05.09	211/KW 155	W211				1281015	84.00	!Diameter 300,0 mm
E 300 3,0d 24V	07.10-06.16	231/KW 170	W212				1281015	84.00	!Solid
E 300 3,0d 24V SW	12.09-12.10	204/KW 150	S212	1281070	104.00	!Diameter 295,0 mm	1281015	84.00	!Solid
	12.09-12.10	204/KW 150	S212	7774 RDB RS	99.00	!For Brake Disc Diameter 295,0 mm			
E 300 3,0d 24V SW	07.10-10.16	231/KW 170	S212				1281015	84.00	!Solid
E 300 3,0d SW	02.97-05.99	177/KW 130	S210	1281075	89.00		1281076	69.00	
E 300 3,0d SW 4WD	06.93-03.96	147/KW 108	T124	1281001	99.00		1281011	64.00	
E 300 3,0i 4WD	06.93-06.95	180/KW 132	W124	1281001	99.00				
E 300 3,0i 4WD SW	06.93-03.96	180/KW 132	T124	1281001	99.00		1281011	64.00	
E 320 3,0d V6	04.05-05.09	224/KW 165	W211	1281016	89.00	!Diameter 312,0 mm			
E 320 3,0d V6 4WD	04.05-05.09	224/KW 165	W211				1281015	84.00	!Solid
E 320 3,0d V6 SW	06.05-12.09	224/KW 165	S211	1281016	89.00	!Diameter 312,0 mm			
E 320 3,2d 24V V6	06.99-02.02	197/KW 145	W210	1281075	89.00		1281076	69.00	
E 320 3,2d 24V V6	03.02-08.05	204/KW 150	W211	1281016	89.00	!Diameter 312,0 mm	1281015	84.00	!Solid
E 320 3,2d 24V V6 SW	06.99-01.03	197/KW 145	S210	1281075	89.00				
E 320 3,2d 24V V6 SW	02.03-05.05	204/KW 150	S211	1281016	89.00	!Diameter 312,0 mm			
E 320 3,2i 18V V6	03.97-01.02	224/KW 165	W210	1281075	89.00		1281076	69.00	
E 320 3,2i 18V V6	02.02-09.04	224/KW 165	W211	1281016	89.00	!Diameter 312,0 mm			
E 320 3,2i 18V V6 4WD	03.97-05.02	224/KW 165	W210	1281075	89.00		1281076	69.00	
E 320 3,2i 18V V6 4WD	07.03-04.05	224/KW 165	W211	1281016	89.00	!Diameter 312,0 mm	1281015	84.00	!Solid
E 320 3,2i 18V V6 SW	06.97-01.03	224/KW 165	S210	1281075	89.00				
E 320 3,2i 18V V6 SW	02.03-09.04	224/KW 165	S211	1281016	89.00	!Diameter 312,0 mm			
E 320 3,2i 18V V6 SW 4WD	06.97-06.03	224/KW 165	S210	1281075	89.00				
E 320 3,2i 18V V6 SW 4WD	07.03-04.05	224/KW 165	S211	1281016	89.00	!Diameter 312,0 mm			
E 320 3,2i 24V V6	06.93-05.95	220/KW 162	W124	1281062	74.00	!Thickness 22,0 mm	1281011	64.00	!Solid
	06.93-05.95	220/KW 162	W124	7431 RDB RS	89.00				
E 320 3,2i 24V V6	06.95-05.97	220/KW 162	W210	1281075	89.00		1281076	69.00	
E 320 3,2i 24V V6 Cabrio	06.93-08.96	220/KW 162	C124	7431 RDB RS	89.00		1281011	64.00	
E 320 3,2i 24V V6 Coupé	06.93-08.96	220/KW 162	C124	1281062	74.00	!Thickness 22,0 mm	1281011	64.00	
	06.93-08.96	220/KW 162	C124	7431 RDB RS	89.00				
E 320 3,2i 24V V6 SW	06.93-03.96	220/KW 162	T124	1281062	74.00	!Thickness 22,0 mm	1281011	64.00	!Solid
	06.93-03.96	220/KW 162	T124	7431 RDB RS	89.00				
E 350 3,5i 24V V6	10.04-05.09	272/KW 200	W211	1281016	89.00	!Diameter 312,0 mm			
E 350 3,5i 24V V6 4WD	10.04-02.09	272/KW 200	W211	1281016	89.00	!Diameter 312,0 mm			
E 36 AMG 3,6i 24V V6	08.96-03.02	272/KW 200	W210	7431 RDB RS	89.00		1281076	69.00	!Solid
E 36 AMG 3,6i 24V V6 Cabrio	03.94-12.98	272/KW 200	C124	7431 RDB RS	89.00		1281011	64.00	
E 36 AMG 3,6i 24V V6 Coupé	03.94-12.96	272/KW 200	C124	7431 RDB RS	89.00		1281011	64.00	
E 36 AMG 3,6i 24V V6 SW	03.94-12.96	272/KW 200	T124	7431 RDB RS	89.00		1281011	64.00	
E 420 4,2i 32V V8	06.93-06.95	279/KW 205	W124	7431 RDB RS	89.00		1281011	64.00	!Solid
E 420 4,2i 32V V8	01.96-09.97	279/KW 205	W210	7431 RDB RS	89.00		1281076	69.00	
E 420 4,2i 32V V8 SW	03.96-09.97	279/KW 205	S210	7431 RDB RS	89.00		1281076	69.00	
E 430 4,3i 24V V8	09.97-05.02	279/KW 205	W210	7431 RDB RS	89.00	!Caliper with 4 Pistons			
E 430 4,3i 24V V8 4WD	07.99-01.02	279/KW 205	W210	7431 RDB RS	89.00	!Caliper with 4 Pistons			
E 430 4,3i 24V V8 SW	09.97-02.03	279/KW 205	S210	7431 RDB RS	89.00	!Caliper with 4 Pistons			
E 430 4,3i 24V V8 SW 4WD	06.99-05.03	279/KW 205	S210	7431 RDB RS	89.00	!Caliper with 4 Pistons			
E 500 5,0i 24V V8 4WD	08.03-04.06	306/KW 225	W211	1281016	89.00	!Diameter 312,0 mm			
E 500 5,0i 32V V8	06.93-05.95	320/KW 235	W124	1281072	89.00	!Diameter 300,0 mm			
	06.93-05.95	320/KW 235	W124	7431 RDB RS	89.00				
GLK 200 2,1d 16V	07.10-09.15	143/KW 105	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 220 2,1d 16V	06.08-09.15	170/KW 125	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 220 2,1d 16V 2WD	08.09-09.15	170/KW 125	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 220 2,1d 16V 2WD	10.13-09.15	184/KW 135	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 250 2,1d 16V	09.09-09.15	204/KW 150	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 280 3,0i 24V V6	06.08-09.09	231/KW 170	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 300 3,0i 24V V6	04.09-07.11	231/KW 170	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 320 3,0d 24V V6	06.08-09.09	224/KW 165	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 350 3,0d 24V V6	04.09-01.10	224/KW 165	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 350 3,0d 24V V6	02.10-05.12	231/KW 170	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 350 3,0d 24V V6	03.12-09.15	265/KW 195	X204	1281070	104.00	!Diameter 295,0 mm			
GLK 350 3,5i 24V V6	06.08-07.11	272/KW 200	X204	1281070	104.00	!Diameter 295,0 mm			
ML 270 2,7d	09.00-02.05	163/KW 120	W163	1281005	114.00	!Diameter 345,0 mm			
ML 320 3,2i 18V V6	01.98-08.02	218/KW 160	W163	1281005	114.00	!Diameter 345,0 mm			
ML 350 3,7i 18V V6	09.02-02.05	235/KW 173	W163	1281005	114.00				
ML 400 4,0d 32V V8	06.01-02.06	250/KW 184	W163	1281005	114.00				
ML 430 4,3i V8	01.99-05.01	272/KW 200	W163	1281005	114.00				
ML 500 5,0i 24V V8	06.01-02.05	292/KW 215	W163	1281005	114.00				
ML 55 AMG 5,4i V8	03.00-01.04	347/KW 255	W163	1281005	114.00				
S 280 3,0i 24V V6	07.06-06.09	231/KW 170	W221				1281099	104.00	!Vented
S 320 3,2d	09.02-06.05	204/KW 150	W220				1281099	104.00	!Vented
S 350 3,5i 24V V6	06.05-01.11	272/KW 200	W221				1281099	104.00	!Vented
S 350 3,5i 24V V6 4WD	04.07-01.11	272/KW 200	W221				1281099	104.00	!Vented
S 350 3,7i 18V V6	09.02-06.05	245/KW 180	W220				1281099	104.00	!Vented
S 350 3,7i 18V V6 4WD	03.03-06.05	245/KW 180	W220				1281099	104.00	!Vented
S 400 4,0d 24V V8	09.00-09.03	250/KW 184	W220				1281099	104.00	
S 400 4,0d 24V V8	10.03-06.05	260/KW 191	W220				1281099	104.00	
S 430 4,3i 24V V8	10.98-06.05	279/KW 205	W220				1281099	104.00	
S 430 4,3i 24V V8 4WD	09.02-06.05	279/KW 205	W220				1281099	104.00	!Diameter 300,0 mm
S 500 5,0i 24V V8	10.98-09.04	299/KW 220	W220				1281099	104.00	!Diameter 300,0 mm
S 500 5,0i 24V V8	10.98-12.05	306/KW 225	W220				1281099	104.00	!Diameter 300,0 mm
S 500 5,0i 24V V8 4WD	09.02-12.05	306/KW 225	W220				1281099	104.00	!Diameter 300,0 mm

S 600 5,8i 36V V12	09.99-08.02	367/KW 270	W220				12B1099	104.00	!Diameter 300,0 mm
SL 280 2,8i 18V V6	05.98-11.01	204/KW 150	R129	12B1072	89.00	!Diameter 300,0 mm			
SL 280 2,8i 24V	06.93-04.98	193/KW 142	R129	12B1072	89.00				
	06.93-04.98	193/KW 142	R129	7431 RDB RS	89.00				
SL 300 3,0i	10.85-09.89	180/KW 132	R107	12B1061	69.00				
SL 300 3,0i 24V	10.89-12.93	231/KW 170	R129	12B1072	89.00				
	10.89-12.93	231/KW 170	R129	7431 RDB RS	89.00				
SL 320 3,2i 18V V6	05.98-11.01	224/KW 165	R129	12B1072	89.00	!Diameter 300,0 mm			
SL 320 3,2i 24V	06.93-04.98	231/KW 170	R129	12B1072	89.00				
	06.93-04.98	231/KW 170	R129	7431 RDB RS	89.00				
SL 350 3,5i 24V V6	03.06-03.08	272/KW 200	R230	12B1016	89.00	!Diameter 312,0 mm			
SL 350 3,5i 24V V6	01.08-05.12	315/KW 232	R230				12B1099	104.00	!Diameter 300,0 mm
SL 350 3,7i 18V V6	09.02-02.06	245/KW 180	R230	12B1016	89.00	!Diameter 312,0 mm			
SL 420 4,2i V8	10.85-09.89	204/KW 150	R107	12B1061	69.00				
SL 420 4,2i V8	01.86-12.86	217/KW 160	R107	12B1061	69.00				
SL 500 5,0 V8	01.88-09.89	223/KW 164	R107	12B1061	69.00				
SL 500 5,0i 24V V8	10.01-02.06	306/KW 225	R230				12B1099	104.00	!Diameter 300,0 mm
SL 500 5,0i 32V V8	01.88-04.98	320/KW 235	R129	12B1072	89.00	!Diameter 300,0 mm			
	01.88-04.98	320/KW 235	R129	7431 RDB RS	89.00				
SL 500 5,5i 32V V8	11.05-05.12	388/KW 285	R230				12B1099	104.00	!Diameter 300,0 mm
SL 600 6,0i 48V V12	06.92-04.98	394/KW 290	R129	7431 RDB RS	89.00				
SLC 180 1,6i 16V	01.16>	156/KW 115	R172	12B1070	104.00	!Diameter 295,0 mm			
	01.16>	156/KW 115	R172	7774 RDB RS	99.00	!For Brake Disc Diameter 295,0 mm			
SLC 200 2,0i 16V	01.16>	184/KW 135	R172	12B1070	104.00	!Diameter 295,0 mm			
	01.16>	184/KW 135	R172	7774 RDB RS	99.00	!For Brake Disc Diameter 295,0 mm			
SLC 250 2,1d 16V	01.16-12.17	204/KW 150	R172	12B1070	104.00	!Diameter 295,0 mm			
	01.16-12.17	204/KW 150	R172	7774 RDB RS	99.00	!For Brake Disc Diameter 295,0 mm			
SLK 200 1,8i 16V	01.11-07.15	184/KW 135	R172	12B1070	104.00	!Diameter 295,0 mm			
	01.11-07.15	184/KW 135	R172	7774 RDB RS	99.00	!For Brake Disc Diameter 295,0 mm			
SLK 200 1,8i 16V K.	02.04-12.07	163/KW 120	R171	7356 RDB RS	89.00	!For Brake Disc Diameter 288,0 mm	12B1011	64.00	!Diameter 278,0 mm
	02.04-12.07	163/KW 120	R171				12B1076	69.00	!Diameter 290,0 mm
	01.08-12.10	184/KW 135	R171	12B1075	89.00	!Diameter 300,0 mm	12B1011	64.00	!Diameter 278,0 mm
	01.08-12.10	184/KW 135	R171	12B1075	89.00	!Diameter 300,0 mm	12B1076	69.00	!Diameter 290,0 mm
	01.08-12.10	184/KW 135	R171	7316 RDB RS	84.00	!For Brake Disc Diameter 288,0 mm			
	01.08-12.10	184/KW 135	R171	7356 RDB RS	89.00	!For Brake Disc Diameter 300,0 mm			
SLK 200 2,0i 16V	07.96-12.99	136/KW 100	R170	7316 RDB RS	84.00		12B1011	64.00	
SLK 200 2,0i 16V	04.15-06.16	184/KW 135	R172	12B1070	104.00	!Diameter 295,0 mm			
	04.15-06.16	184/KW 135	R172	7774 RDB RS	99.00	!For Brake Disc Diameter 295,0 mm			
SLK 200 2,0i 16V K.	01.00-01.04	163/KW 120	R170	7316 RDB RS	84.00		12B1011	64.00	
SLK 230 2,3i 16V K.	07.96-12.99	193/KW 142	R170	7316 RDB RS	84.00		12B1011	64.00	
SLK 230 2,3i 16V K.	01.00-01.04	197/KW 145	R170	7316 RDB RS	84.00		12B1011	64.00	
SLK 250 1,8i 16V	01.11-07.15	204/KW 150	R172	12B1070	104.00	!Diameter 295,0 mm			
	01.11-07.15	204/KW 150	R172	7774 RDB RS	99.00	!For Brake Disc Diameter 295,0 mm			
SLK 250 2,1d 16V	09.11-06.16	204/KW 150	R172	12B1070	104.00	!Diameter 295,0 mm			
	09.11-06.16	204/KW 150	R172	7774 RDB RS	99.00	!For Brake Disc Diameter 295,0 mm			
SLK 280 3,0i 24V V6	04.05-02.09	231/KW 170	R171	12B1075	89.00	!Diameter 300,0 mm	12B1011	64.00	!Diameter 278,0 mm
	04.05-02.09	231/KW 170	R171	7356 RDB RS	89.00	!For Brake Disc Diameter 300,0 mm	12B1076	69.00	!Diameter 290,0 mm
SLK 300 3,0i 24V V6	03.09-05.11	231/KW 170	R171	12B1075	89.00	!Diameter 300,0 mm	12B1011	64.00	!Diameter 278,0 mm
	03.09-05.11	231/KW 170	R171	7356 RDB RS	89.00	!For Brake Disc Diameter 300,0 mm	12B1076	69.00	!Diameter 290,0 mm
SLK 320 3,2i 18V V6	01.00-01.04	218/KW 160	R170	12B1075	89.00		12B1011	64.00	
SLK 350 3,5i 24V V6	02.04-12.07	272/KW 200	R171	12B1075	89.00	!Diameter 300,0 mm	12B1011	64.00	!Diameter 278,0 mm
	02.04-12.07	272/KW 200	R171				12B1076	69.00	!Diameter 290,0 mm
SLK 350 3,5i 24V V6	01.08-12.10	305/KW 224	R171				12B1076	69.00	!Diameter 290,0 mm
190 E 1,8i	06.90-05.93	109/KW 80	W201	12B1040	59.00		7205 RDB RS	44.00	
190 E 2,0d	11.83-05.93	72/KW 53	W201	12B1040	59.00		7205 RDB RS	44.00	
190 E 2,0i	01.83-12.86	90/KW 66	W201	12B1040	59.00		7205 RDB RS	44.00	
190 E 2,0i	09.84-09.89	102/KW 75	W201	12B1040	59.00		7205 RDB RS	44.00	
190 E 2,0i	01.85-12.88	118/KW 87	W201	12B1040	59.00		7205 RDB RS	44.00	
190 E 2,0i	01.89-05.93	122/KW 90	W201	12B1040	59.00		7205 RDB RS	44.00	
190 E 2,3i	04.86-05.93	132/KW 97	W201				7205 RDB RS	44.00	
190 E 2,3i 16V	04.85-08.88	170/KW 125	W201	12B1061	69.00				
190 E 2,5d	11.85-05.93	90/KW 66	W201	12B1040	59.00		7205 RDB RS	44.00	
190 E 2,5d	07.92-05.93	126/KW 93	W201				7205 RDB RS	44.00	
190 E 2,5i 16V	09.88-05.93	195/KW 143	W201	12B1061	69.00				
190 E 2,5i 16V Evo I	01.89-12.89	195/KW 143	W201	12B1072	89.00				
	01.89-12.89	195/KW 143	W201	7431 RDB RS	89.00				
190 E 2,5i 16V Evo II	01.90-12.91	235/KW 173	W201	12B1072	89.00				
	01.90-12.91	235/KW 173	W201	7431 RDB RS	89.00				
200 E 2,0i 16V	10.92-05.93	136/KW 100	W124	12B1061	69.00				
200 E 2,0i 16V SW	10.92-05.93	136/KW 100	T124	12B1061	69.00		12B1011	64.00	
200 E 2,0i SW	09.88-09.92	118/KW 87	T124				12B1011	64.00	
220 E 2,2i 16V	10.92-05.93	150/KW 110	W124	12B1061	69.00				
220 E 2,2i 16V Coupé	10.92-05.93	150/KW 110	C124	12B1061	69.00				
220 E 2,2i 16V SW	10.92-05.93	150/KW 110	T124	12B1061	69.00		12B1011	64.00	
230 E 2,3i	04.85-09.92	132/KW 97	W124	12B1061	69.00	!Vented			
230 E 2,3i	04.85-09.86	136/KW 100	W124	12B1061	69.00	!Vented			
230 E 2,3i Coupé	03.87-09.92	132/KW 97	C124	12B1061	69.00	!Vented			
230 E 2,3i SW	04.86-09.92	132/KW 97	T124	12B1061	69.00	!Vented	12B1011	64.00	
250 E 2,5d	03.91-06.95	126/KW 93	W124	12B1061	69.00				
250 E 2,5d SW	04.86-05.93	90/KW 66	T124				12B1011	64.00	
250 E 2,5d SW	06.93-03.96	113/KW 83	T124				12B1011	64.00	
260 E 2,6i	04.85-09.92	160/KW 118	W124	12B1061	69.00		12B1011	64.00	!Diameter 278,0 mm
260 E 2,6i 4WD	09.86-09.91	160/KW 118	W124	12B1001	99.00				
280 E 2,8i 24V	10.92-05.93	193/KW 142	W124	12B1061	69.00				
280 E 2,8i 24V President	01.92-05.93	193/KW 142	W124	12B1062	74.00	!Thickness 22,0 mm	12B1011	64.00	!Solid
	01.92-05.93	193/KW 142	W124	7431 RDB RS	89.00				
280 E 2,8i 24V SW	10.92-05.93	193/KW 142	T124	12B1061	69.00		12B1011	64.00	
300 E 3,0d	07.92-05.93	147/KW 108	W124	12B1061	69.00				
300 E 3,0d SW	04.87-05.93	109/KW 80	T124				12B1011	64.00	
300 E 3,0d SW	06.93-03.96	136/KW 100	T124				12B1011	64.00	
300 E 3,0d SW	01.92-03.96	147/KW 108	T124	12B1061	69.00	!Vented	12B1011	64.00	
300 E 3,0d SW 4WD	07.92-05.93	147/KW 108	T124	12B1001	99.00		12B1011	64.00	
300 E 3,0i	04.85-09.92	180/KW 132	W124	12B1061	69.00				
300 E 3,0i	04.85-09.86	188/KW 138	W124	12B1061	69.00				
300 E 3,0i 24V	08.89-09.92	220/KW 162	W124	12B1062	74.00		12B1011	64.00	
	08.89-09.92	220/KW 162	W124	7431 RDB RS	89.00				
300 E 3,0i 24V Cabrio	02.92-09.92	220/KW 162	C124	12B1062	74.00		12B1011	64.00	
	02.92-09.92	220/KW 162	C124	7431 RDB RS	89.00				
300 E 3,0i 24V Coupé	08.89-09.92	220/KW 162	C124	12B1062	74.00		12B1011	64.00	
	08.89-09.92	220/KW 162	C124	7431 RDB RS	89.00				
300 E 3,0i 24V SW	08.89-09.92	220/KW 162	T124	12B1062	74.00		12B1011	64.00	!Solid
	08.89-09.92	220/KW 162	T124	7431 RDB RS	89.00				
300 E 3,0i 4WD	10.87-05.93	180/KW 132	W124	12B1001	99.00				

300 E 3,0i Coupé	03.87-09.92	180/KW 132	C124	12B1061	69.00				
300 E 3,0i SW	04.87-09.92	180/KW 132	T124	12B1061	69.00		12B1011	64.00	
300 E 3,0i SW 4WD	03.87-05.93	180/KW 132	T124	12B1001	99.00		12B1011	64.00	
320 E 3,2i 24V	10.92-05.93	220/KW 162	W124	12B1062	74.00	!Thickness 22,0 mm	12B1011	64.00	
	10.92-05.93	220/KW 162	W124	7431 RDB RS	89.00				
320 E 3,2i 24V Coupé	10.92-05.93	220/KW 162	C124	12B1062	74.00	!Thickness 22,0 mm	12B1011	64.00	
	10.92-05.93	220/KW 162	C124	7431 RDB RS	89.00				
320 E 3,2i 24V SW	10.92-05.93	220/KW 162	T124	12B1062	74.00	!Thickness 22,0 mm	12B1011	64.00	!Solid
	10.92-05.93	220/KW 162	T124	7431 RDB RS	89.00				
400 E 4,2i 32V V8	10.92-05.93	279/KW 205	W124	7431 RDB RS	89.00				
500 E 5,0i V8	01.91-05.93	320/KW 235	W124	12B1072	89.00	!Diameter 300,0 mm			
	01.91-05.93	320/KW 235	W124	7431 RDB RS	89.00				
V 220 2,2d 16V	02.99-09.03	122/KW 90	V638				12B1007	69.00	
V 230 2,3d	08.96-01.99	98/KW 72	V638				12B1007	69.00	
V 230 2,3i 16V	08.96-09.03	143/KW 105	V638				12B1007	69.00	
V 280 2,8i	09.97-09.01	174/KW 128	V638				12B1007	69.00	
Vaneo 1,6i	01.02-06.05	82/KW 60	W414	12B1054	74.00				
Vaneo 1,6i	01.02-06.05	102/KW 75	W414	12B1054	74.00				
Vaneo 1,7d	01.02-06.05	75/KW 55	W414	12B1054	74.00				
Vaneo 1,7d	01.02-06.05	91/KW 67	W414	12B1054	74.00				
Vaneo 1,9i	01.02-06.05	125/KW 92	W414	12B1054	74.00				
Vito 2,0i 16V	03.96-09.03	130/KW 96	V638				12B1007	69.00	
Vito 2,2d 16V	01.99-09.03	82/KW 60	V638				12B1007	69.00	
Vito 2,2d 16V	01.99-09.03	102/KW 75	V638				12B1007	69.00	
Vito 2,2d 16V	01.99-09.03	122/KW 90	V638				12B1007	69.00	
Vito 2,3d	03.96-12.98	79/KW 58	V638				12B1007	69.00	
Vito 2,3d	03.96-12.98	98/KW 72	V638				12B1007	69.00	
Vito 2,3i 16V	04.97-09.03	143/KW 105	V638				12B1007	69.00	
207 2,4d	01.84-03.89	72/KW 53	601	12B1093	74.00	!Solid			
209 3,0d	01.84-03.89	88/KW 65	601	12B1093	74.00	!Solid			
210 2,3i	01.84-12.89	95/KW 70	601	12B1093	74.00	!Solid			
210 2,3i	01.90-07.95	105/KW 77	601	12B1093	74.00	!Solid			
210 2,9d	01.88-12.95	95/KW 70	601	12B1093	74.00	!Solid			
307 2,4d	01.84-03.89	72/KW 53	602	12B1093	74.00	!Solid			
308 2,3d	04.89-03.95	79/KW 58	602	12B1093	74.00	!Solid			
309 3,0d	01.84-03.89	88/KW 65	602	12B1093	74.00	!Solid			
310 2,3i	01.84-03.89	95/KW 70	602	12B1093	74.00	!Solid			
310 2,3i	01.90-07.95	105/KW 77	602	12B1093	74.00	!Solid			
310 2,9d	01.88-03.95	95/KW 70	602	12B1093	74.00	!Solid			
407 2,4d	01.84-03.89	72/KW 53	611	12B1093	74.00	!Solid			
409 3,0d	01.84-03.89	88/KW 65	611	12B1093	74.00	!Solid			
410 2,3i	01.84-12.89	95/KW 70	611	12B1093	74.00	!Solid			
410 2,9d	01.88-03.95	95/KW 70	611	12B1093	74.00	!Solid			
510 2,3i	04.86-05.88	95/KW 70	667	12B1093	74.00	!Solid			